


KJ - 5E Keystone Jack

Kingz provides a series of RJ-45 jacks for UTP modular systems. These are available in 8 pin RJ45 contact arrangements for both Category 5e and Category 6 Cabling solutions. The 90° design is most easily used in any vertical termination situation. This jack can be terminated with dual tools. It also works in the 24 port patch panel.

Features:

- 1. UTP 90° jack
- 2. UL safety listed
- 3. UL & ETL TIA/EIA-568B.2 Cat5e performance verified
- 4. UL94V-0 fire retardant plastic
- 5. Meets FCC part 68 Subpart F and IEC 60603-7
- 6. Customized colors available





Applications:

- 1. For Ethernet UTP solutions
- 2. Fits standard applied faceplate
- 3. Fits in Kingz 24 Port patch panel
- 4. Fits in Kingz Surface mount box

	Bandwidth	NEXT	FEXT	Attenuation	Return Loss
KJ-5E	(db) at 100MHz	>43	>35.1	<0.40	>20



KJ - 5E

The Cat.5e UTP 90° Keystone Jack

** Cat.6 UTP 90° Keystone Jack are available

Ordering Information

ordering information			
Item(s) / Polybag	Items/Inner box	Items/Outer box	
1	100	400	
Color	Customized colors available		





KJ - 6 Keystone Jack


Kingz provides a series of RJ-45 jacks for UTP modular systems. These are available in 8 pin RJ45 contact arrangements for both Category 5e and Category 6 Cabling Solutions, The 90° design is most easily used in any vertical termination situation. It can also be inserted into our 24 port patch panel.


Features:

- 1. UTP 90° jack
- 2. UL safety listed
- 4. UL & ETL TIA/EIA-568B.2-1 performance verified
- 3. UL94V-0 fire retardant plastic
- 4. Meets FCC part 68 Subpart F and IEC 60603-7
- 5. Customized colors available
- 6. Meets IEEE 802.3 ab specification
- 7. With dust-cover design



- 1. For Ethernet UTP solutions
- 2. Fits standard keystone faceplates
- 3. Fits in Kingz UTP 24 port patch panel
- 4. Fits in Kingz UTP Surface Mount boxes





	Bandwidth	NEXT	FEXT	Attenuation	Return Loss
KJ - 6	(db) at 250MHZ	>46	>35.1	<0.32	>16



KJ - 6			
The Cat.6 UTP 90° Keystone Jack			
**Cat.5e UTP 90° Keystone Jack are available			
Ordering Information			
Item(s) / Polybag	Items/Inner box	Items/Outer box	
1	100	400	
Color	Customized colors available		







KJ - 5 EF Keystone Jack

Kingz's 90° Category 5e fully shielded keystone jack has been designed to meet the high performance requirement of high bandwidth applications. It passes the 10m short link test. The jack can be terminated using either T568A or T568B wiring scheme based upon your choice. It can also be terminated using dual tools.

Features:

- 1. FTP 90° jack
- 2. UL safety listed
- 3 .UL & ETL TIA/EIA-568B.2 performance verified
- 4. Meet FCC part 68 Subpart F and IEC 60603-7
- 5. UL94V-0 fire retardant plastic
- 6. Meet IEEE 802.3 ab specification
- 7. Effectively prevents cross-talk





Applications:

- 1. For Ethernet FTP solutions
- 2. Fits FTP keystone faceplate
- 3. Fits in Kingz FTP 24 port Patch panel
- 4. Fits in Kingz FTP Surface Mount boxes

	Bandwidth	NEXT	FEXT	Attenuation	Return Loss
KJ - 5EF	(db) at 100MHz	>43	>35.1	<0.40	>20



KJ - 5EF

The Cat.5e FTP 90° Keystone Jack

**Cat.6 FTP 90° Keystone Jack are available

Ordering Information

Item(s) / Polybag	Items/Inner box	Items/Outer box	
1	50	200	
Color	Customized colors available		

